


Material: P265 GH (HII Boiler Plate)
 Manufacturing Standard 87/404 and 97/23 EC



VERTICAL OR HORIZONTAL TYPE								
VOLUME	DIMENSION mm	HEIGHT mm	WORKING PRESSURE	A	B	C	D	E
100 lt	323	1.450	11 Bar	1"	1/2"	2"	1/2"	2"
			16 Bar					
			40 Bar					
200 lt	500	1.450	11 Bar	1"	1/2"	2"	1/2"	2"
			16 Bar					
			40 Bar					
300 lt	500	1.800	11 Bar	1"	1/2"	2"	1/2"	2"
			16 Bar					
			40 Bar					
500 lt	600	2.000	11 Bar	1 1/4"	1/2"	2"	1/2"	2"
			16 Bar					
			40 Bar					
900 lt 1.000 lt	850	2.150	11 Bar	1 1/2"	1/2"	1"	1/2"	3/4"
			16 Bar					
			40 Bar					
1.500 lt	1000	2.250	11 Bar	2"	1/2"	1"	1/2"	3/4"
			16 Bar					
			40 Bar					
2.000 lt	1150	2.350	11 Bar	2"	1/2"	1"	1/2"	3/4"
			16 Bar					
			40 Bar					
3.000 lt	1400	2.450	11 Bar	2"	1/2"	1"	1/2"	3/4"
			16 Bar					
3.000 lt	1150	3.300	40 Bar					
4.000 lt	1400	3.250	11 Bar	DN80	1/2"	1 1/2"	1"	1"
			16 Bar					
5.000 lt	1600	3.100	11 Bar	DN80	1/2"	1 1/2"	1"	1"
			16 Bar					
6.000 lt	1600	3.600	11 Bar	DN 80	1/2"	2"	1"	1"
			16 Bar					
8.000 lt	1600	4.600	11 Bar	DN100	1/2"	2"	1"	1"
			16 Bar					
10.000 lt	1900	4.300	11 Bar	DN100	1/2"	2"	1"	1"
			16 Bar					